


# U.S. PUBLIC LAND SURVEY MONUMENT RECORD MONROE COUNTY, WISCONSIN.

IN ACCORDANCE WITH WISCONSIN ADMINISTRATIVE CODE, CHAPTER A-E 7.08 (3) (A) - (I)

**LOCATION:** (A) THE IDENTITY OF THE CORNER, AS REFERENCED TO THE U.S. PUBLIC LAND SURVEY SYSTEM.


SECTION   1   - TOWN   17N   - RANGE   1E  

TOWNSHIP OF           OAKDALE            
 TYPE OF CORNER           S1/4 CORNER            
 TYPE OF MONUMENT           HARRISON MONUMENT            
 HORIZONTAL DATUM           MONROE CO. COORDINATES            
 NORTHING / LATITUDE           388217.70            
 EASTING / LONGITUDE           755034.06          



**PLAN VIEW:** (C) REFERENCE TO AT LEAST 4 WITNESS MONUMENTS. WITNESS MONUMENTS SHALL BE CONCRETE, NATURAL STONE, IRON, BEARING TREES OR OTHER EQUALLY DURABLE MATERIAL, EXCEPT WOOD OTHER THAN BEARING TREES; (D) A PLAN VIEW DEPICTING THE RELEVANT MONUMENTS AND REFERENCE TIES WHICH ARE SUFFICIENT IN DETAIL TO ENABLE ACCURATE RELOCATION OF THE CORNER MONUMENT IF THE CORNER MONUMENT IS DISTURBED; (E) A DESCRIPTION OF ANY MATERIAL DISCREPANCY BETWEEN THE LOCATION OF THE CORNER AS RESTORED OR REESTABLISHED AND THE LOCATION OF THAT CORNER AS PREVIOUSLY RESTORED OR REESTABLISHED;

- T1 N22°55'14"E 56.12'
- T2 S66°16'46"E 60.65'
- T3 S63°18'45"W 46.64'
- T4 N41°48'31"W 71.49'




**LEGEND**

- SET HARRISON MONUMENT
- ⊙ SET 3/4" DIA. X 24" IRON RE-BAR, 1.50 LBS./LIN.FT.

**SURVEYOR'S CERTIFICATE:** CHAPTER 7.08 (3) (I)

THE UNDERSIGNED HEREBY CERTIFIES THAT THE U.S. PUBLIC LAND SURVEY MONUMENT RECORD SHOWN WAS DETERMINED BY THEM OR UNDER THEIR DIRECTION AND IS CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.



*James C. Schroeder*  
 WISCONSIN REGISTERED LAND SURVEYOR

12/07/10  
 DATE CERTIFIED

41701010020  
22

# U.S. PUBLIC LAND SURVEY MONUMENT RECORD MONROE COUNTY, WISCONSIN.

IN ACCORDANCE WITH WISCONSIN ADMINISTRATIVE CODE, CHAPTER A-E 7.08 (3) (A) - (I)


## RECOVERY PROCEDURES:

- (B) A DESCRIPTION OF ANY RECORD EVIDENCE, MONUMENT EVIDENCE, OCCUPATIONAL EVIDENCE, TESTIMONIAL EVIDENCE OR ANY OTHER MATERIAL EVIDENCE CONSIDERED BY THE SURVEYOR, AND WHETHER THE MONUMENT WAS FOUND OR PLACED;
- (F) WHETHER THE CORNER WAS RESTORED THROUGH ACCEPTANCE OF AN OBLITERATED EVIDENCE LOCATION OR A FOUND PERPETUATED LOCATION;
- (G) WHETHER THE CORNER WAS REESTABLISHED THROUGH LOST-CORNER PROPORTIONATE METHODS;
- (H) THE DIRECTIONS AND DISTANCES TO OTHER PUBLIC LAND SURVEY CORNERS WHICH WERE USED AS EVIDENCE OR USED FOR PROPORTIONING IN DETERMINING THE CORNER LOCATION;

*CORNER WAS DESTROYED BY CONSTRUCTION OF CRANBERRY BOG. CORNER WAS TIED IN BY FEDDERSEN IN 1978. HIS SECTION SUMMARY GAVE BEARINGS AND DISTANCES TO ADJACENT CORNERS IN SECTION 1.*


*CORNER WAS RESET BY RETRACING SECTION 1 SECTION SUMMARY.*

### LEGEND



## SURVEYOR'S CERTIFICATE: CHAPTER 7.08 (3) (I)

THE UNDERSIGNED HEREBY CERTIFIES THAT THE U.S. PUBLIC LAND SURVEY MONUMENT RECORD SHOWN WAS DETERMINED BY THEM OR UNDER THEIR DIRECTION AND IS CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.



*James C. Schroeder*  
 \_\_\_\_\_  
 WISCONSIN REGISTERED LAND SURVEYOR

12/07/10  
 \_\_\_\_\_  
 DATE CERTIFIED

I, William C. Jung, do hereby certify that on the 29th day of September 1981, I found (evidence) ~~(no evidence)~~ of the N<sup>1</sup>/<sub>4</sub> corner of Section 12, T 17 N, R 1 E Fourth Principal Meridian, and I re-established said corner according to the Wisconsin Statutes as shown and described hereon.

Dated this 30th day of Sept. 1981.

William C. Jung, R.L.S. 1323

County Surveyor's Office

Title

*William C. Jung*



Description of corner and witness monuments, references and accessories used to perpetuate the original or re-established location of this corner:

Corner is under centerline of an E-W power line; it is surrounded by open fields.



Witnesses to corner location:

W. Jung

G. Dechant



STONE DETAIL



● = LOCATION CORNER

Approved: **HARLEY A. SIME**  
**MONROE CO., SURVEYOR**

SURVEY CONTROL ORDER

Horizontal	_____
Vertical	_____

WISCONSIN COORDINATE SYSTEM

Corner	East (X)	North (Y)	Elevation (Z)	Zone
Control Sta. Name				

~~City, Village or~~ Town Oakdale  
 County of Monroe

COUNTY SURVEYOR FORM NO. 1