

# JUNEAU COUNTY SURVEY MONUMENT RECORD

CORNER NO. 114  
SECTION 31  
TOWN 18 N.  
RANGE 2 E.

TYPE OF MONUMENT: MONROE COUNTY TCP MONUMENT FOUND


JUNEAU COUNTY COORDINATES NAD 83/91  
NORTHING: 226,874.99  
EASTING: 400,704.72

■ = CORNER MONUMENT RESTORED

BASIS FOR MONUMENT LOCATION  
(USE REVERSE SIDE IF NECESSARY)

SHOW INFO SUCH AS: HISTORY OF CORNER, WITH REFERENCE TO VOLUME AND PAGE DATES, SURVEYOR; EXACT DESCRIPTION OF MONUMENT PLACED OR FOUND, IF LOCATION COMPUTED, BY TAPED OR EDM TRAVERSE; LANDOWNER REMARKS, ETC.


MONROE COUNTY TCP MONUMENT FOUND AS PER TIE SHEET DATED 5/4/1986 BY JAMES CARROLL



LOCATION

## LEGEND

- = MONROE COUNTY TCP MONUMENT FOUND
- λ = GOVERNMENT SIGN SET
- = 3/4" X 24" IRON ROD SET



CERTIFIED CORRECT


*Patrick J. Dederich*  
REGISTERED LAND SURVEYOR  
DATE 7/18/2010

TIE SKETCH  
(SHOW AT LEAST FOUR TIES)

NOT TO SCALE



AZIMUTHS ARE BASED ON THE JUNEAU COUNTY COORDINATE SYSTEM UNLESS OTHERWISE NOTED



JUNEAU COUNTY

Survey Monument Record

TYPE OF MONUMENT: MONROE CO. HARRISON

STATE PLANE COORDINATES: N \_\_\_\_\_  
E \_\_\_\_\_

ELEVATION — M.S.L. DATUM: \_\_\_\_\_

THETA ANGLE: \_\_\_\_\_

FIELD BOOK: \_\_\_\_\_ PAGE \_\_\_\_\_


PAGE 1

CORNER NO. 114

SECTION 31

TOWN 18

RANGE 2E



LOCATION  
(Indicated by 'X')

SEAL:

BASIS FOR MONUMENT LOCATION

(Use reverse side if necessary)


Show info such as: History of corner, with reference to Vol. and pg. dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc.

Monument set by Monroe County  
Surveyor's office.

CERTIFIED CORRECT:  
James J. Carroll  
Registered Land Surveyor  
DATE: 5/24/86

TIE SKETCH

(Show at least four ties)




41801362000

I, Lawrence A. Feddersen, do hereby certify that on the 1st and 7th day of February 1979, I found (no evidence) of the East Quarter corner of Section 36, T 18 N, R 1 E, Fourth Principal Meridian, and I re-established said corner according to the Wisconsin Statutes as shown and described hereon.

Dated this 22 day of May 1979.

Lawrence A. Feddersen

Registered Land Surveyor



History of original corner establishment:

No subsequent history of monument perpetuation since the original U.S. Government Survey in Monroe County.

Description of corner evidence found:

Set Harrison on line, half way between the Northeast corner and the Southeast corner.



Agrees with East-West Quarter line fence in Section 36.

Description of corner and witness monuments, references and accessories used to perpetuate the original or re-established location of this corner:

Witnesses to corner location:

Lawrence A. Feddersen

Mark R. Heidecke



O = LOCATION CORNER

T 18 N R 1 E WISCONSIN

SURVEY CONTROL ORDER

Table with 2 rows: Horizontal, Vertical

WISCONSIN COORDINATE SYSTEM

Table with 5 columns: Corner, East (X), North (Y), Elevation (Z), Zone

Byron Town, Monroe County, Wisconsin

PLACED COUNTY SURVEYOR'S SIGN 6-18-87

COUNTY SURVEYOR FORM NO. 1