

I, Garold A. Sime, do hereby certify that on the 29th day of July 19 86, I found (evidence) ~~no evidence~~ of the E 1/4 Corner corner of Sec. 15, T 16 N, R 1 W Fourth Principal Meridian, and I re-established said corner according to the Wisconsin Statutes as shown and described hereon.

Dated this 29th day of Dec. 19 86.

Garold A. Sime

Deputy County Surveyor
Title

History of corner establishment since Original Government Survey

*See previous land corner record

Description of corner evidence found:

Found Dept. of Transportation ties for corner and remonumented same from these ties.




21601152000

Description of corner and witness monuments, references and accessories used to perpetuate the original or re-established location of this corner:


Set Harrison Monument at corner

Witnesses to corner location:

Garold A. Sime, R.L.S.
Dallas Wilhite
Joel Tralmer



O = LOCATION CORNER
T 16 N R 1 W
WISCONSIN



SURVEY CONTROL ORDERS	
Horizontal	
Vertical	


WISCONSIN COORDINATE SYSTEM

Corner	East (X)	North (Y)	Elevation (Z)	Zone
Control Sta. Name				

~~City, Village~~ or Town Wilton
County of Monroe

COUNTY SURVEYOR FORM NO. 1

COUNTY MONROE		
TOWN WILTON		
HIGHWAY S.T.H. 131		
SECTION 14	TOWNSHIP 16 N	RANGE 1 W
TYPE OF LANDMARK HARRISON MONU. IN PLACE SET BY MONROE CO. SURVEYOR 1977		




LOCATION SKETCH
 (Location of landmark indicated by "x")



This space for copy of field notes or ties to the above described landmarks

- ⊙ = HARRISON MONU.
- △ = WIS. D.O.T. BERNSTEIN MONU.
SET ALONG NEW S.T.H. 131 R/W



CREW CHIEF: M. WEGE.

FILED UNDER PROJECT NUMBER 5130-5-72		COUNTY CLERK'S OFFICE COUNTY OF WISCONSIN } 55	
SHC DISTRICT OFFICE NUMBER # 5	CITY LACROSSE	COUNTY LACROSSE	DATE RECEIVED FOR RECORD
LOCATED OR ESTABLISHED BY PERPETUATED NAME DERALD E. KADING		DATE COPY SENT TO COUNTY SURVEYOR	
TITLE SURVEY COORDINATOR DATE 5-17-89		SIGNATURE OF COUNTY CLERK	

CERTIFICATE

CERTIFIED LAND CORNER

No. 58
Pg. 1

I, William C. Jung, do hereby certify that on the 25th day of October 1977, I found (evidence) (~~no evidence~~) of the W 1/4 corner of Section 14, T 16 N, R 1 W, Fourth Principal Meridian, and I re-established said corner according to the Wisconsin Statutes as shown and described hereon.

History of original corner establishment:

Hamilton La Rue set this corner in January of 1897, and O. R. Dahl also set this corner in June of 1869.

Description of corner evidence found:

Found one of La Rue's bearing trees from his 1897 survey. Reset corner after allowing for tree size and magnetic declination.

Dated this 11th day of Nov. 1977.

William C. Jung, R.L.S. 1323

Crew Chief, County Surveyor's
Title Office



COUNTY SURVEYOR FORM NO. 1


Description of corner and witness monuments, references and accessories used to perpetuate the original or re-established location of this corner:

Set a Harrison marker.

Witnesses to corner location:

W. C. Jung

G. Dechant





Approved: Harley Sime
County Surveyor

SURVEY CONTROL ORDER

Horizontal	_____
Vertical	<u>Scaled Elev.</u>

Magnetic North ↑



T 16 N R 1 W
WISCONSIN

WISCONSIN COORDINATE SYSTEM

Corner	East (X)	North (Y)	Elevation (Z)	Zone
	<u>1875115.246</u>	<u>679687.311</u>	<u>1100 +</u>	<u>SOUTH</u>
Control Sta. Name				

City, Village or Town Wilton
County of Monroe