

CERTIFICATE

CERTIFIED LAND CORNER

No. 85

Pg. 2

21601220000

I, Garold A. Sime, do hereby certify that on the 13th day of June, 19 86, I found (evidence) ~~no evidence~~ of the SE corner of Section 22, T16 N, R 1W Fourth Principal Meridian, and I re-established said corner according to the Wisconsin Statutes as shown and described hereon.

History of corner establishment since Original Government Survey

*See previous land corner record

Description of corner evidence found:

I set this corner using Dept. of Transportation Highway "131" right-of-way data.

Dated this 29th day of Dec 19 86.

Garold A. Sime
Deputy County Surveyor
Title




COUNTY SURVEYOR FORM NO. 1

Description of corner and witness monuments, references and accessories used to perpetuate the original or re-established location of this corner:

Set 1/4" round iron bar at corner

Witnesses to corner location:

Garold A. Sime, R.L.S.
Dallas Wilhite
Joel Tralmer




Horizontal	
Vertical	

WISCONSIN COORDINATE SYSTEM

Corner	East (X)	North (Y)	Elevation (Z)	Zone
Control Sta. Name				

City, Village or Town Wilton
County of Monroe

COUNTY MONROE		
TOWN WILTON		
HIGHWAY S.T.H. 131		
SECTION 26	TOWNSHIP 16N	RANGE 1W
TYPE OF LANDMARK HARRISON MONU. IN PLACE SET BY MONROE CO. SURVEYOR 1977		




LOCATION SKETCH
 (Location of landmark indicated by "x")



This space for copy of field notes or ties to the above described landmarks

- = HARRISON MONU.
- △ = WIS. D.O.T BERNSTEIN MONU.
SET ALONG NEW S.T.H. 131 R/W.



FILED UNDER PROJECT NUMBER 5130-5-72			COUNTY CLERK'S OFFICE	
SIC DISTRICT OFFICE NUMBER #5			COUNTY OF WISCONSIN } 55	
CITY LACROSSE		COUNTY LACROSSE	DATE RECEIVED FOR RECORD	DATE COPY SENT TO COUNTY SURVEYOR
LOCATED OR ESTABLISHED BY PERPETUATED			SIGNATURE OF COUNTY CLERK	
NAME DERALD E. KADING				
TITLE SURVEY COORDINATOR DATE 5-14-84				

CERTIFICATE

CERTIFIED LAND CORNER

I, William C. Jung, do hereby certify that on the 27th day of October 1977, I found ~~(evidence)~~ (no evidence) of the N.W. corner of Section 26, T 16 N, R 1 W, Fourth Principal Meridian, and I re-established said corner according to the Wisconsin Statutes as shown and described hereon.

History of original corner establishment:

No recorded history since the original government survey.

Description of corner evidence found:

Traversed portions of Sections 22, 23, 27, and 26. Set the corner at a point that best fits the greater bulk of the field evidence found. Fits the original government notes East, West, and South very well.





Dated this 4th day of Nov. 1977.

William C. Jung, R.L.S. 1323
Crew Chief, County Surveyor's
Title Office

Description of corner and witness monuments, references and accessories used to perpetuate the original or re-established location of this corner:
Set a Harrison marker, down 12", on the West edge of a field.

Witnesses to corner location:

W.C. Jung
G. Dechant



Approved: Harley Sime
County Surveyor

SURVEY CONTROL ORDER

Horizontal _____
Vertical Scaled Elev.

WISCONSIN COORDINATE SYSTEM

Corner	East (X)	North (Y)	Elevation (Z)	Zone
Corner	<u>1875011.435</u>	<u>671726.919</u>	<u>1050+</u>	<u>SOUTH</u>
Control Sta. Name				

City, Village or Town Wilton
County of Monroe