SURVEYOR'S CERTIFICATE

I, Garold A. Sime, being a duly qualified Surveyor do hereby certify that by the order and under the direction of Mr. Tony Finch , that I have surveyed and mapped the property shown hereon and that the within map is a true and correct representation of the exterior boundaries of the land surveyed and that I have fully complied with the provisions of Chapter A E- 7 of the Wisconsin Administrative Code to the best of my knowledge and belief.

Garold A. Sime

GAROLD A. SIME, REGISTERED LAND SURVEYOR S-1261
H. A. SIME & ASSOCIATES
P. O. BOX 50
TOMAH, WISCONSIN 54660
September 27, 2012

CSR 2311



WISCONSIN
GAROLD A. SIME
S-1261
TOMAH, WIS.
LAND SURVEYOR

PLAT OF SURVEY

Located in Lot 2 of Vol. 17 Certified Survey Maps, Page 123, being part of the SE¼-NE¼, NE¼-SE¼ and NW¼-SE¼, Section 35, T17N-R2W, Town of Adrian, Monroe County, Wisconsin.

Sheet 1 of 2

File No. 4638A

H. A. SIME and ASSOCIATES

Surveying and Land Planning
1819 Stoughton Ave. – P. O. Box 50
Tomah, Wisconsin 54660
608 372-5392

CSR 2311

DESCRIPTION

A parcel of land located in Lot 2 of Vol. 17 Certified Survey Maps, Page 123, being part of the SE¼-NE¼, NE¼-SE¼ and NW¼-SE¼, Section 35, T17N-R2W, Town of Adrian, Monroe County, Wisconsin described as follows: Commencing at the E¼ corner of said Section 35; thence N0°16'35"W a distance of 138.11 feet to the Southeast corner of said Lot 2, being the Point of Beginning; thence S56°25'38"W along the south line of said Lot 2, a distance of 224.02 feet; thence N29°11'06"W, a distance of 221.81 feet; thence N47°31'44"W, a distance of 308.47 feet; thence S50°46'57"W, a distance of 102.78 feet' thence S15°53'27"E, a distance of 209.94 feet; thence S52°11'32"W, a distance of 134.59 feet; thence N61°59'47"W, a distance of 143.88 feet; thence S7°14'04"E, a distance of 124.47 feet; thence S14°19'32"W, a distance of 96.56 feet; thence S1°50'22"E, a distance of 100.20 feet; thence S20°34'54"E, a distance of 325.14 feet to the Northwest corner of Lot 1 of Vol. 16 Certified Survey Maps, Page 35; thence S30°53'00"E, a distance of 150.00 feet to the Southwest corner of said Lot 1; thence S59°57'22"W along the south line of said Lot 2, a distance of 66.00 feet; thence N30°53'00"W, a distance of 154.99 feet; thence N20°34'54"W, a distance of 341.98 feet; thence N1°50'22"W, a distance of 120.47 feet; thence N14°19'32"E, a distance of 93.36 feet; thence N7°14'04"W, a distance of 158.51 feet; thence N62°00'12"W, a distance of 122.30 feet; thence S25°47'08"W, a distance of 306.63 feet; thence S52°55'19"W, a distance of 782.29 feet; thence S46°21'18"E, a distance of 220.50 feet; thence S57°39'56"W, a distance of 344.67 feet; thence S42°40'39"W, a distance of 228.23 feet; thence S23°29'06"E, a distance of 314.28 feet to the south line of said NW¼-SE¼; thence N89°54'34"W, a distance of 651.02 feet to the Southwest corner of said Lot 2; thence N34°09'03"E along the westerly line of said Lot 2, a distance of 232.68 feet; thence N9°42'35"E along said westerly line, a distance of 619.53 feet; thence N48°13'58"E along said westerly line, a distance of 304.62 feet; thence S65°55'40"E along the northerly line of said Lot 2, a distance of 305.84 feet; thence N53°55'44"E along said northerly line, a distance of 701.64 feet; thence N20°22'09"E along said northerly line, a distance of 385.80 feet; thence N76°53'42"E along said northerly line, a distance of 387.69 feet; thence N49°07'10"E along said northerly line, a distance of 319.11 feet; thence N87°49'14"E, a distance of 462.83 feet to the Northeast corner of said Lot 2; thence S0°16'35"E, a distance of 522.83 feet to the Point of Beginning. Containing 24.496 acres of land more or less. Subject to all easements, restrictions and right-of-ways of record.

Sheet 2 of 2

WISCONSIN
GAROLD A. SIME
S-1261
TOMAH, WIS.
LAND SURVEYOR
9/27/12

H. A. SIME and ASSOCIATES
Surveying and Land Planning
1819 Stoughton Ave. - P. O. Box 50
Tomah, Wisconsin 54660
608 372-5392

CSR 2311

DESCRIPTION

A parcel of land located in Lot 2 of Vol. 17 Certified Survey Maps, Page 123, being part of the SE¼-NE¼, NE¼-SE¼ and NW¼-SE¼, Section 35, T17N-R2W, Town of Adrian, Monroe County, Wisconsin described as follows: Commencing at the E¼ corner of said Section 35; thence N0°16'35"W a distance of 138.11 feet to the Southeast corner of said Lot 2, being the Point of Beginning; thence S56°25'38"W along the south line of said Lot 2, a distance of 224.02 feet; thence N29°11'06"W, a distance of 221.81 feet; thence N47°31'44"W, a distance of 308.47 feet; thence S50°46'57"W, a distance of 102.78 feet' thence S15°53'27"E, a distance of 209.94 feet; thence S52°11'32"W, a distance of 134.59 feet; thence N61°59'47"W, a distance of 143.88 feet; thence S7°14'04"E, a distance of 124.47 feet; thence S14°19'32"W, a distance of 96.56 feet; thence S1°50'22"E, a distance of 100.20 feet; thence S20°34'54"E, a distance of 325.14 feet to the Northwest corner of Lot 1 of Vol. 16 Certified Survey Maps, Page 35; thence S30°53'00"E, a distance of 150.00 feet to the Southwest corner of said Lot 1; thence S59°57'22"W along the south line of said Lot 2, a distance of 66.00 feet; thence N30°53'00"W, a distance of 154.99 feet; thence N20°34'54"W, a distance of 341.98 feet; thence N1°50'22"W, a distance of 120.47 feet; thence N14°19'32"E, a distance of 93.36 feet; thence N7°14'04"W, a distance of 158.51 feet; thence N62°00'12"W, a distance of 122.30 feet; thence S25°47'08"W, a distance of 306.63 feet; thence S52°55'19"W, a distance of 782.29 feet; thence S46°21'18"E, a distance of 220.50 feet; thence S57°39'56"W, a distance of 344.67 feet; thence S42°40'39"W, a distance of 228.23 feet; thence S23°29'06"E, a distance of 314.28 feet to the south line of said NW¼-SE¼; thence N89°54'34"W, a distance of 651.02 feet to the Southwest corner of said Lot 2; thence N34°09'03"E along the westerly line of said Lot 2, a distance of 232.68 feet; thence N9°42'35"E along said westerly line, a distance of 619.53 feet; thence N48°13'58"E along said westerly line, a distance of 304.62 feet; thence S65°55'40"E along the northerly line of said Lot 2, a distance of 305.84 feet; thence N53°55'44"E along said northerly line, a distance of 701.64 feet; thence N20°22'09"E along said northerly line, a distance of 385.80 feet; thence N76°53'42"E along said northerly line, a distance of 387.69 feet; thence N49°07'10"E along said northerly line, a distance of 319.11 feet; thence N87°49'14"E, a distance of 462.83 feet to the Northeast corner of said Lot 2; thence S0°16'35"E, a distance of 522.83 feet to the Point of Beginning. Containing 24.496 acres of land more or less. Subject to all easements, restrictions and right-of-ways of record.

Sheet 2 of 2

WISCONSIN
GAROLD A. SIME
S-1261
TOMAH, WIS.
9/27/12
LAND SURVEYOR