Monroe County } ss
Town of Ridgeville
May 6th A.D. 1856

The said road was laid April 14th & 15th 1856

VOL. 1

At a meeting of the Supervisors of said town agreeable to previous notice and examined and deliberated upon the subject therein embraced it is ordered and determined by the said supervisors that a highway be laid out in said town of the width of four rods and have caused a survey thereof to be made as follows the center line of the said highway is to commence at the 1/4 post of section 1 & 36 on line of Townships 16 & 17 North of Range 2 west of the 4th meridian thence South on 1/4 line of section 1. 40 chains to center of said section thence south 15 1/2 W 5 chains set post Bl Oak 12 S 47 1/2° E 17 links thence South 20° E 3 42/100 chains set post w Oak 12 links 45 W 3 links thence south on 1/4 line 135 65/100 chains to center Section 13 thence ~~South 20~~ West 20 chains ~~1/16 post center of south~~ thence south 20 chains 1/16 post center of S W 1/4 of section 13 thence south 40 chains Crspin 12 South 4 links thence South 22 1/2 W 34 38/100 chains intersect 1/4 line of section 24, 20 North chains west of 1/4 post on South line of said Sect thence South on 1/4 line 35 chains set post no Bar thence S 18 3/4° E. 13 5/100 chains post no barrings thence south 12 1/2 40 chains post W Oak 8 north 9 links thence South 56 3/4° W 22 72/100 chains 1/8 post 20 chains East of corner of Section 25 & 26. 35 & 36 thence South 45 chains W Oak 14 S 38 1/2 W 17 links thence South 53° W 26 82/100 intersect line of section 35 & 36 center south 7 links thence South 64 1/2° W 42 5/100 chains to 1/4 post on South Side of Section 35 Town 16 North of range 2 West

Variation 8° 40 East

All other Corners Filed

B. S. Blake

Surveyor

1

Vol. 1

Clinton County

Town of Ridgeville

July the 21 at 10 o'clock

At a meeting of the Supervisors of the Town of Ridgeville agreeable to previous notice and having examined and deleberated upon the Subject herein embraced it is ordered and determined by the said Supervisors that a highway be laid out in said Town of the width of (4) rods and have caused a Survey thereof to be made as follows, the center line of said highway is to commence at corner Stake between Section 1 & 2 11 & 12 Town (16) north of Range (2) west running thence west 40 chains to 1/4 post on Line of Section 2 & 11 thence north 68° W 6 chains ~~to a stake~~ to a Oak 12 cr South 3 1/2° E 39 links thence south 68° W 61 chains W. oak 6 cr 6 1/2° W 68 links thence south 35 1/2° W 11 chains B Oak 6 cr South 23° E 39 links thence north 36° W 11 50/100 chains W oak 6 cr 1° W 16 links thence north 60° W 5 74/100 chains W oak 10 cr South 40° E 7 links thence west on section line 64 62/100 chains W oak 7 cr 65° E 21 links thence South 36 1/2° W 8 50/100 chains W oak 14 cr 73/4° E 17 links thence north 76 1/2° W 34 65/100 chains to B oak 12 cor on section line thence west on section line 87 40/100 chains W oak 18 cr East 6 links thence South 60 1/2° W 21 chains W Oak 16 South 4 links thence South 58 3/4° W 95/100 chains B Oak 16 cr north 14 links thence South 37° W 14 chains W. Oak 18 cr South 20 links thence South 23 1/2° W 11 chains thence South 20 chains thence South 45° W 28 29/100 to 1/4 ~~section~~ post of Section 7 & 8 thence West 40 chains to center of said Section South on town line 30 50/100 chains thence South 26° E 11 chains W Oak 6 cr North 2 1/2° E 70 links South 26 1/4° W 13 chains to set Town line B Trail du chien & Sparta road terminus of said Road W Oak 16 inches diameter Bears north 65 3/4° East 20 links

Variation 8 1/4° East

C Hyatt
A W Gibbs } Supervisors
D S Blake

The above highway was laid April 26th 1856

2

Monroe county } ss
Town of Rigbyville }

Roll

Vol. 1

10 o'clock July the 20 56

At a meeting of the Supervisors of said Town agreeable to previous notice and having examined and deliberated upon the subject herein embraced it is ordered and determined by the said Supervisors that a highway be laid out in said Town of the width of four rods and have caused a survey thereof to be made as follows

The center line of said highway is to commence at the corner stake between section 1812 Town 16 range 2 west 689 Town 16 1 west running thence west on line of section 1812, 80 chains to corner of said section thence north 2 chains on line of section 182 thence west 63° 2/3 61 50/100 chains to 1/4 line at center of section 2 thence west on 1/4 line 30 chains thence W 52° 2/3 12 chains W Oak 10 inches diameter south 28° W 25 1/2 links. N 46 1/2 W 6 to upper end of dug bar W Oak 10 south 25 1/2 W 22 links North 61° W 3 Wake north 5 3/4 W 59 links thence north 51 1/2° W 20 chains W Oak 10 S 84 1/2 E 36 links thence north 36 1/2 W 5 chains to Section lines of Boardman town line set a post W Oak 6 south 41 1/2 34 links

Variation 8° 45 East

In Witness whereof we have hereunto set our hands at Rigbyville on the 26 day of April 56

all ayes
B. S Blake } Supervisors

The above highway was laid April 24th 1856

12

Monroe County } ss
Town of Ridgeville }

VOL. 1

August the 9 & 10 oclock A. M. 1856
At a meeting of the Supervisors of the Town of Ridgeville agreeable to previos notice and having examined and deliberated upon the subject herin embraced it is ordered and determined by the said Supervisors that a highway be laid out in said Town of the width of four rods and have caused a survay thereof to be maid as follows the center line of said road or highway is to commence at the South east corner of Section 28 Town (16) N Range 2 West runing on the Section line due west 20 rods here sett a post & with a bairing tree a white oak 3 rods and six links distanced northwardly of 62° west the true Meridian from this post running a straight line North 58 rods and 6 links with the true bairing of 65° west to the Second post in intersection the old road a bairing tree is iwith oak and 20 links distanced bears South 18 degrees East

Variation 7/45° East

M Ives
J L Gibbs } Supervisors
B S Blake

The above highway was laid May the 5/56

4

Monroe County
Town of Ridgeville
September the 5th 9 oclock A M A D 1856

At a meeting of the Supervisors of the Town of Ridgeville agreeable to previous notice and having examined and deliberated upon the Subject herein embraced it is ordered and determined by the said Supervisors that a highway be laid out in said Town of the width of four rods and have caused a survey thereof to be made as follows the center lines of said road or highway is to commence at the South East corner of Section (13) Town 16 North of Range 3 West runing from here on the meridian line N 109 rods and 17 linkes to the point of beginning from the same South east corner of Sec 13 said Town and range running on the range line South 160 rods from here running South by a bearing of 26° east 12 rods setting here a post of W Oake South 51 30° East is 2 rods thence South by range of 15 20° west 8 rods & 10 linkes here setting a post of white oake a barring tree is 2 rods & 9 linkes & bares South 44 30° East thence South on the meridian line 24 rods here setting a post of W oake a baring tree is 2 rods & 9 linkes and bears South 55 30° West thence South by a baring of 16 20° East 40 rods here setting a post of W oake a baring tree South 8 20° West 24 linkes thence South with a bearing of 6° West 17 rods & 10 linkes to a point on the Town line here setting a post of W oake a bearing tree is South 62° West 45 linkes thence on the range line South 24 rods here setting a post of white oake a bearing tree North 89° west 1 rods 13 linkes

Varation 8° East

Geo Lyon
Peter Vanalstine } Supervisors

The above Highway was laid July the 5 1856

A.D. 1856

Monroe County VOL. 1 8 o'clock A.M.

Town of Ridgeville September the 10th A.D.

At a meeting of the Supervisors of the town of Ridgeville agreable to previos notice and having examened & deliberated upon the Subject herein embraced it is ordered and determined by the said Supervisors that a highway be laid out in said Town of the breaths of four rods and have caues a survey thereof to be maid the center line of said road or highway is to commencat the point 10 rods due west from the N°W° corner of section 6 running from here South with a bearing of 31° E 24 rods till to a point of intersection with the Range line from here South 85 rod 6 links here setting a post of white oake a bearing tree is 16 links and bears North 87° W thence South 22 rods 18 links further South 160 rods here setting a post of with oake a bearing tree is 10 links N 66° W thence west to the South west corner of Section 4 rods 8 links thence South on the meridian line 320 rods to the South East corner of Section 12 Town 16 N Range 2 West thence East 127 rods to the quarter post between Sections 7 & 18 in town 16 N. Range 1 West from here on the meridian line S 5 2 rods here setting a post of white oak bearing tree is 14 links and beares S 56° 30' W from here with a bearing of 41° 40 SE 40 rods here setting a post of white oak a bearing tree is 90 links and beares S 57° 30 E 8 rod here setting a post of white oak a bearing is S 32° E 4 rod 7 links from here with a bearing S 10° W 24 rods here setting post of white oak a bearing due west is 2 rod 18 links from here South with a bearing 25° E 156 rods here setting a post of white oake a bearing S 36° E is 26 rod 3 links from here S 28 rods with a bearing S 36° E here setting a post white oak a brazing is 36 rods 22 links from here with a bearing of S 13° E 28 here setting a post of white

VOL. 7 15

Oak a bearing is S 20° W 4 rods 17 links from here with a bearing S 26° E 128 rods here setting a post of white oak a bearing is N 50° W 17 rods from here with a bearing S 36 E 195 rods 13 links to the point of termination of said road or highway

A W Stivers
Gibbs } Supervisors

the above highway was laid 16 day 17th/56

Monroe County VOL. 1

Town of Ridgeville January the 2nd 1857
Ett a meeting of the Supervisors of the town
Ridgeville on the 14 day of December A.D 1856
agreeable to previous notice and having examined
and deliberated upon the subject herein embraced
it is agreed and determined by the said Supervisors
that a highway be laid out in said town of the
width of four rods and have caused a Survey thereof
to be made as follows commence at the range line
between range 1 and 2 west town 16 Section 24 and a
point which lies from the S.E. corner of Section
24 on the range line 61 rods 15 links setting
here a post of white oake a bearing tree is 3 rods
10 links north on the meridian line from here
with a bearing N 82° 30 162 rods and 20 links to
point on the North South middle line of Section
24 here fixing in a post of white oake a bearing
will be due South on the meridian line 80 rods
In witness whereof we have hereunto set our
hands at Ridgeville on the 16th day of December 1856

E. Dewey
B S Blake } Supervisors

Monroe County

Town of Richyville January 31st 1857

at a meeting of the Supervisors of the Town of Richyville on the 13 day of Jan 1857 assembled to pursuance notice and having examined and deliberated upon the subject herein embraced it is ordered and determined by the said Supervisors that a highway be laid out in said Town of the width of four rods and commencing on the section line at the quarter stake between sections 11. and 12 and running North 160 rods to the county State between Sections 1. 2. 11. and 12

In witness whereof we have set our hands at Richyville this 16 day of January 1857

H McGuire
B S Blake } Supervisors

96 Vence County
Town of Bridgeville } April 29th 1857

At a meeting of the Supervisors of said town upon due & previous notice having examined and deliberated upon the subject herein embraced it is ordered and determined by the said supervisors that a highway be laid out in said town of the width of four rods and have caused to be made as follows the center line of said highway is to commence at the ¼ Stake on the North boundary of Sec 18 Town sixteen) 16 N. R. 2. W. running from thence 80 rods West to the first point of this road Survey from hence on the meredium line S 84 rods here setting a post of which an oak S 23 degs 15 m is 20 links here setting a post of which a bearing is South E3 degrees 30 m W. 2 rods 15 links from here S 2 degs. East 10 rods 24 links here setting a post of which a bearing E 83 degrees W. is 2 rods 5 links from here S 53 d 30 m 26 rods 6 links here blazing a tree in the line and point of which a bearing Son 48 degs W is 1 rod 21 links; from here S 63 d 45 m East 76 rods here setting a post of which a bearing N 59 d E is 2 rods 14 links from here S 53 d 45 m E 72 rods 12 links here marking a tree of which a bearing N 78 d E 84 links from here S 74 d E. 38 rods 20 links; here sett a post of w. o. c is S W 30 m E 4 rods 13 links from here N. 81 d 30 m E 40 rods here sett a post of w. o. c. S 40 d 30 m E is 2 rods 20 links from here S 66 d 30 m E 32 rods 19 links here sett a post of w. o. c is S 36 d W

10

1 rod 5 links from here S. 51 deg 30 m E. 17 rods 6 links here
set a post of w. a. 6. i. S 77 deg E. 1 rod 10 links
from here S 71 d. E. 19 rods; here sett a post of w. a. 6
i. S. 44 deg E 24 links; from here S. 79 d. E. 26 rods 2 links
here sett a post of w. a. 6. i S 17 d. E 2 rods 2 links
from here S 53 d. E. 17 rods 16 links here sett a post of
w. a. 6 i 23 deg 30 m W and i of 2 rods 2 links
from here S 24 d E. 16 rods 20 links here sett a post
S 49 d W. 1 rod 6 links from here S. 73 d E. 66 rods
here sett a post of w. a. 6. 2 rods S. i. 16 d W.
from here S 89 deg E. i the W. state 35 rods 21 links
between Sec 17 and 20; from here S. 57 d. E. 32 rods
4 links here set a post of w. a. 6. S 36 d 30 m
W. 4 rods 18 links from here S 27 d E 102 rods
here sett a post of w. a. 6. i S 23 d W. 11 rods
3 links from here S 77 d. 30 m E. 76 rods here sett
a post 63 links S 16 d 30 m W. from here S 89 deg
E 47 rods here sett a post of w. a. 6. i S. 36 d
10 rods 14 links from here S 9 d 15 m W. 17 rods
here sett a post of w. a. 6. i S 74 d W 2 rods 2 links
from here S 16 d W 37 rods 12 links here sett a
post of w. a. 6. S 29 d W. i 3 rods 8 links
from here S 33 d 15 m W. 40 rods. here sett a
post of w. a. 6 S 31 d W i 5 rods 11 links from
here S 31 deg E 16 rods 23 links here sett a post
4 rods 7 links S 23 d 30 m E. from here 4 d W
64 rods here sett a post S. 1 d W 35 links from
here to the S. W. corner of Sec 21 by a bearing
S 13 d E. 22 rods 3 links; from here on the S
line S. 104 rods to the point of termination of
w. a. 6 i. W 24 rods 10 links. according to
Survey on which above are based

Survey on which above are based

Seneca County } April 3rd A.D. 1857
Town of Ridgeville }

At a meeting of the Supervisors of said town regularly & previous notice having examined and deliberated upon the subject hereinafter contained it is ordered and determined by the said Supervisors that a highway be laid out in said town of the width of four rods and have caused it to be made as follows the center line of said highway to commence on the meridian line 135 rods S. from the northern boundary of the N.W. ¼ of Sec 18 Tow 16 N.R. 2 W. on a line between the E½ and the W½ of the N.W ¼ of Sec 18th here sett a post of w.o. bearing S 48 W. 1 rod 21 links from here further S 40 rods here sett a post of w.o. 2 rods 4 links S 12 d E. from here S 51 d W. 79 rods 7 links here setting a post of w.o. S 32 d W. 2 rods here is the point of termination as witness whereof we have hereunto set our hands at Ridgeville

September 3rd A.D 1857

Supervisors } N. Foster
Jared Rood
Stephen G Hayes

Vol. 1

Scioto County, Town of Sciotoville } June 27th 1857 69

At a meeting of the supervisors of said Town agreeable to previous notice having examined and deliberated upon the subject herein embraced it is ordered and determined by the said supervisors that a highway be laid out in said Town of the width of four rods and have caused to be made as follows the center line of said highway to commence on a point which lays on the meridian line South of the S. W. corner of Section 21 and is distanced from thence 104 rods from here S. 74 deg 30 m E 32 rods here setting a post of w. a. b is S W. 68 deg 30 m 1 rod 20 links from here S 62 deg 30 m E 355 rods 13 links here setting a post of w. a. b is the Blacksmith's Shop, S 61 E 2 rods 5 links from here S 82 deg 30 m E 12 rods 16 links here sett a post of w. a. b. is S. 72 deg 30 m W. 1 rod 2 links from here S. 87 deg 40 m E 56 rods 9 links here setting a post of which a bearing is S 51 deg E 2 rods 23 links from here S. 53 deg 30 m E 15 rods 5 links here setting a post of w. a. b. is S 20 deg E 2 rods 7 links from here S. 9 deg E. 118 rods 15 Links here setting a post of which a bearing is due East 2 rods from here South exactly 80 rods to the intersection of the town line between Town 16 and Town 15 South Range 2 West here closing the survey and setting a Corner in witness whereof we have hereunto set our hands at Sciotoville this 3rd day of September A. D. 1857

Supervisors

Hanson Foster
Jacob Rood
Stephen G Barker

13

70.

Monroe County
Town of Ridgeville } June 29th 1857

Vol. C

At a meeting of the Superviseors of said town agreable to previous notice having examined and deliberated upon the subject herein embraced it is ordered and determined by the said Superviseors that a highway be laid out of the width of four rods in said town and have caused to be made as follows the center line of said highway is to commence at the ¼ stake between Section 4 and 9 from here on the meridian line S. 320 rods to the ¼ stake between Section 9 and Section 16 from here 15 deg East 36 rods 6 links here sett a post of w. a. b. is is S. 83 deg 30 m W. 1 rod 12 links from here S 25 deg E. 54 rods 20 links here set a post of w. a. b. is S. 22 deg W. 1 rod 12 links from here S. 39 deg E. 102 rods 15 links here sett a post of w. a. b. is 1 rod and 2 links N. 64 deg W from here S. 5 deg W. 52 rods 53 links here sett a post of w. a. b. is S. 3 deg W. 2 rods 6 links from here S. 49 deg W. 48 rods 22 links here sett a post of w. a. b. is N 27 deg W. 1 rod 10 links from here S 69 deg W 17 rods 2 links here sett a post of w. a. b. is S. 80 deg E. 1 rod from here S 45 deg W. 12 rods here set a post of w. a. b is 1 rod 2 links 26 deg 30 m S. E. from here 7 deg W. 24 rods 6 links here sett a post of w. a. b. is N 55 deg E 1 rod 15 links from here S. 29 deg E. 31 rods 7 links here sett a post of w. a. b. is N. 77 deg W. 14 links from here S. 5 deg W. 25 rods 3 links here set a post of w. a. b. is N 86 deg 30 m W. 1 rod 13 links from here S 47 deg W. 9 rods 10 links here sett a post of w. a. b is 16 links S. 63 deg W from here S 11 deg E. 21 rods 20 links here sett a post of w. a. b. is N 65 deg W. 1 rod 20 links from here S. 23 deg W. 21 rods here sett a post of w. a. b. is S 35 deg E 1 rod 12 links from here S. 41 deg W. 12 rods here

14

sett a post of w. a. 6 is 1 rod = 11 links S. 43 dg E. from here S. 61 deg W. 32 rods; here sett a post of w. a. 6 is 1 rods 12 links S 31 deg W. from here S. 86 dg W 48 rods to the intersecting of the road from P. P Road to Mc Garry according to Survey in witness whereof we have hereunto set our hands at Ridgeville this 3rd day of Sept. A.D. 1857

Surveyors { Hanson Foster, Jacob Reed, Stephen G Bunker

Ridgeville July 27th 1857

Received this day at 4 O Clock P. M. A Chattel Mortgage to be placed on file between Erastus Cambell & Julia Ann Naylor said mortgage in favour of said Julia Ann Naylor on a yoke of three year old Oxen

---

Ridgeville April 26th 1857

Received this day at 11 O Clock A. M. A Chattel Mortgage to be placed on file between Ira Sherwood and Benjamin F. Blake said mortgay in favour of said B. F. Blake on a yoke of Oxen and Yoke

---

Monroe County
Town of Ridgeville } November 27th 1857

At a meeting of the supervisors of said Town agreeable to previous notice having examined and deliberated upon the subject herein embraced it is ordered and determined by the saide supervisors that a highway be laid out in said town of the width of four rods and have caused it be made as follows

Begenning on the Section line between Sec 3 and Sec 10 80 rods due west from the corner stake here sett a post of wo a bearing is 37 links S 30 deg E from here N 46 deg 30 m E 48 rods here setts a post of w. a, E. N 48 deg 40 m W. 57 links from here N. 9 deg E 143 rods 20 links to the ¼ stake between Sec 2 and Sec 3 from here due E intersecting the Ridgeville and Sparta road in the center of it 34 rods and 16 links here set a post of w. a. E will be due W. 34 rods and 16 links

Chain 4 rods long a 100 links Var. of the m. n. 8° E

Anson Spinner surveyor

Supervisors { Jacob Rood
Stephen J. Bowker

(80) Monroe County } February 1st 1858
Town of Ridgeville }

Vol. 1

Surveyed the 28 day of November A D 1857

At a meeting of the Supervisors of said Town agreeable to previous notice having examined and deliberated thereon the subject herein embraced it is ordered and determined by the said supervisors that a highway be laid out in said town of the width of four rods and have caused it be made as follows

Beginning at the ¼ rods stake from the S E corner of Sec 13 town 16 N R. 2 West running from here on the section line west 302 rods here setty a post of which a bearing is 23 links N 10 deg E from here N by a C of 59 deg 30 W 10 rods here setting a post of w a bearing one rod N 12 deg W from here S 62 deg W 22 rods 2 links here set a post of which a bearing is S 20 deg 30 m E 2 rods 3 links from here to the S W corner of sec 14 69 rods from here N by a C of 39 deg W 53 rods 24 links here set a post of w a bearing is 35 links N 38 deg W from here S 78 deg 30 m W 40 rods 15 links here sett a post of w a bearing S 28 deg W 78 rods 9 links to the ¼ stake on the south boundry of Sec 15 from here S 57 deg W 36 rods here set a post of w a bearing is N 48 deg E 1 rod 17 links from here N 89 deg W 45 rods 23 links here sett a post of w a bearing 1 rod 1 link S 63 deg E from here S 70 deg W 54 rods 15 links here set a post of w a bearing is 12 links N 70 deg E from here S 60 deg W 21 rod 8 links here set a p of w a bearing is 1 rod 7 links N 12 deg West from here S 38 deg W 28 rods here set a post of w a bearing is N 47 deg W 12 links N 86 deg W 12 rods 21 links here set a post of w a bearing will be N 86 deg W 72 rods from set a post of w a C will be N 46 deg W 1 rod 18 links from here S 80 deg W 26 rods 5 links here set a post of w a bea N 50 deg W 1 rod 21 links from here S 70 deg W 2 rods 21 links from here S 78 deg W 32 rods here set a post of w a C will be S 70 deg E 20 links from here S 46 deg W 9 rods 7 links here set a post of w a bearing will be south 3 deg 22 links

17

from here S 66 deg 30 m W 33 rods 23 links here sett a post & w a bearing will be N 12 deg 1 rod this is the point of termination for the road

Variation of mag m S
chain 4 rod bearg or
100 - Chains

Orson Spinner

Monroe County
Town of Ridgeville } February 18th 1858

We the undersigned Supervisors of said town met for this purpose do hereby order that the said town be and it is hereby divided into road districts as follows

No 1 } Road District, number one shall include Sections 1 one 2 two 11 eleven and 12 twelve

No 2 } Road District number two shall include [A] Sections 3 three 4 four East ½ of Sec 5 five East ½ of Sec 8 eight Sections 9 nine & 10 ten

[H] No 3 } Road District number three shall include The West ½ of Sec 5 five Sec 6 six Sec 7 seven west ½ of sec 8 Eight west ½ of Section 17 Seventeen and Section 18 eighteen

No 4 } Road District, number four Shall include Section 19 nineteen West ½ of Section 20 twenty West ½ of Section 29 twenty nine and Section 30 thirty

Vol. 1.

(83)

Survey Bill. March 30th 1858

Alteration of one Rd. Road in the Town of Ridgeville on the 22 day of march A.D. 1858 described as follows

Beginning on the centre of the ¼ Section of the S.E. ¼ of Section 7 running from here on the Meridian line S. 94 rods 5 links from here West to the ¼ Stake on the S Boundary of Sec 7 exactly 80 rods Variation of the mag needle 9 deg E. chains 4 rods long

Signed A. Spinner

Survey Bill

Laying out a Road for the town of Ridgeville on the 22 day of March A.D. 1858.

Beginning on the sec. line between Sec. 7 and Sec. 18. 80 rods west from the ¼ stake from here on the Meridian line N. 94 rods here Setts a pine & W bearing W. 30 links from here. N. 46 deg West 102 rods 10 links to the point of termination

Variation of the mag needle 8 deg E chains 100 links, or 4 rods long

A. Spinner

---

eligible on original

No width given

84

Survey Bill

Road Survey of a new laid out road for the town of Ridgeville County of Monroe Wisconsin on 22nd day of March A.D. 1858. Beginning on the Range line between Range II and Range III West South of the ¼ Stake of the West boundary of Sec. 19 63 rods there Less a p of a c bearing due North 90 links from there South 24 deg 30 m E. 41 rods there Less a c bearing S 86 deg E 2 rods 6 links from there S. S. 57. E. 58 rods there Less a p of a c bearing as S. 57 deg E. 1 rod 22 links from there S 35 deg E 32 rods there Less a p of a c bearing will be S. 63 deg E 2 rods 2 links from there S. 71 deg 30 m. E. 38 rods there Less a p. of a c. bearing as 2 rod 9 links S. 56 deg E. from last S. 58. E. 6 rods there Less a p of a c bearing S. 38 deg E. 13 links from there South 73 deg E 29 rods there Less from here N. 60 deg E 149 rods here Less a p of a c bearing S 45 deg E 1 rod 21 links from here S. 43 E 107 rods 14 links there Less a p of a c bearing as N. 78 deg E 1 rod 13 links from here N. 84 deg 30 E. 19 rods 21 links there Less a p of a c bearing as S. 68 deg 30 m E 1 rod 4 links from here N. 62 deg E. 25 rods 9 links there Less a p of a c bearing as N. 42 deg E 21 links from here South 43 deg 30 m E. 66 rods there Less a p of a c bearing will be S.

NO WIDTH GIVEN

30

S 7° E dg. W 3 rods 12 links; from here
S 44 dg E 99 rods and 11 links to the point
of termination
Variation of one
degree E & thereby
links or 9 rods long

bns. Summer.

81

100

VOL 1

Petition

Filed in office at this date a Petition calling for a road to be Established commencing on the West side of Sec Twenty three thence to the South East corner of said Sec thence to the South East Corner of the N.E 1/4 of the S.W. of Sec thirty four thence Northerly about Eighty rods thence Easterly to the town line on Sec twenty five

dated April 12th 1858

Survey Bill

Monroe Co
Ridgeville

Att a meeting of the Supervisors of said town Agreable to petition notice and hearing Examined and deliberated upon the Subject therein Contained it is ordered and determined by the said Supervisors that a highway be laid out in said town of the width of four rods and that a Survey of the centre line thereof to be made as follows to wit Commencing at the West side of said town at a point nine Chains and 50/100 N. of the West 1/4 part of Sec thirty one and run thence

Stations	Courses	Dis in Chains	Bk Trees	Corrections for Variation	Distance in links from each Station
1	E.	7.50	∫ oak.	N 39. E	93
2	S 78 1/2 E	18.50	2 oak	S. 56. E	44
3	N 89 1/2 E	4			
4	N 84 E	15.50	2 oak	N 35 E	35
5	N 38 E	33	2 oak	S. 6. E	47
	N 0 E	12	2 oak		

reight 32
Pole

Range 1 East

Stations	Courses	Distance in Chains ch — links	Bearing Trees	Courses to Bearing Trees	Distance in links from angle Stake
7	S 81 - E	10 — 50	2 oak	S 78 - E	25
8	N 73 - E	1 — 50	— —	N 20 E	40
9	S 88 1/4 E	20	—	—	—
10	E	8	B oak	N 31 E	2 13
11	S 72 1/2 E	3 — 50	2 oak	S 49 W	90
12	N 56 - E	25	B oak	S 4 E	21
13	S 81 1/2 E	8	2 oak	S 15 W	26
14	S 66 1/2 E	10.50	2 oak	N 70 E	71
15	S 82 1/2 E	49-30	on N line	of Sec - 33	to N E Corner
16	S 76 E	15 44	2 oak	N 3 - E	1 50
17	S 50 E	27 50	on the line	of Sec 24	
18	East	5 [illegible]	on said	W line of S 1/2	stake on 1/4 line
19	N 14 1/2 E	7	—	—	—
20	N 12 E	7	B oak	S 5 - E	91
21	N 36 E	6	2 oak	N 21 1/2 E	113
22	N 38 E	12 50	2 oak	N 71 W	162
23	N 62 E	38 50	2 oak	N 71 W	162
24	N 57 1/2 E	6	—	—	—
25	N 81 1/2 E	14-50	2 oak	S 34 - E	49
26	N 62 - E	5-50	—	—	—
27	N 81 - E	5	—	—	—
28	S 47 E	25-50	B oak	S 78 - E	118
29	N 63 1/2 E	5	—	—	—
30	S 78 E	6 — 50	—	—	—
31	S 88 1/2 E	8	—	—	—
32	N 76 - E	14 - 84	2 oak	N 89 W	36
33	N 10 E	8 to	top of ridge	—	—
34	N 40 E	5	—	—	—
35	N 67 E	14	2 oak	N 75 E	83
36	S 35 E	14	2 oak	N 40 E	24
37	S 10 E	5 — 50	—	—	—
38	S 25 E	11 — 50	2 oak	N 49 E	36
39	S 41 E	9	2 oak	S 29 W	170
40	S 79 E	12	to East	line of said Sec	

Com. S E 1/4 of Sec 11 Twnt five town 16 N Range two West of Declination of magnetic from true meridian 6 1/2° E course received from true meridian

Given under my hand this 4th day of May AD 1858

A S Ingalls Surveyor

In witness whereof we have set our hands and seals at Ridgeville this 8th day of May AD 1858

Signed

Jacob Rowe [illegible]

A S Bowker Surveyor

Vol. 1

1858

Petition. Oct 25th 1858

Oct 31

Filed in office at this date a petition calling for a road to be established Commencing at the one Eight Stake S. of the S.W. ¼ of Sec No 25. Running in the centre of the Road leading to Ridgeville thence running North on said line to Cambells north fence thence west twenty two or twenty four rods thence North on the most practicable route to Beemiss and Prouty's Line thence north East thirteen or fourteen rods thence north to the most Suitable place to angle north west to the town line intersecting with a road in the town of Adrian Running to the town line

Nov 6

Petition

Filed in office at this date a petition calling for a highway to be established Commencing Eighty rods East of the quarter Stake of Sec three and ten and thence South one half mile and thence west Eighty rods and thence South on the quarter line to the quarter Stake between Sec ten and fifteen and thence follows the valley to South or South west course on the most practicable route to intersect the John Clare road that runs through said Valley

dated at Ridgeville Nov 4. 1858

VOL. 1

No 1858

Road Survey

Dec 9 for the town of Ridgeville Executed by me the undersigned on the 22nd day of Nov AD 1858 Following is a description of it Beginning 80 rods East of the ¼ Stake between Sec 8 and 10 from here running S. 160 rods from here due west 80 rods thence S. to the ¼ Stake between Sec 10 and 15 thence S. 41 rods 20 links here setting a post of which a bearing will be formed 28 links S 26 degrees E. thence S. 24 dg. 30 m. West 14 rods here setting a p of d. a & will be formed S 24 dg. W 44 links thence S 20 dg W 116 rods here setting a p. of d. a. b. is S. 20 dg W 20 links thence S 64 dg W. 22 rods 28 links here setting a p of d. a. b. is S. 40 dg E 20 links from here S 44 dg W 132 rods 10 links here setting a p. of d a bearing is N. 20 dg W 1 rod 3 links thence S 12 dg W 24 rods here setting a p of d. a. b. is S 21 dg W 18 links thence S 11 dg E 136 rods here intersecting the road of J Clare on Sec 21 Town 16 N R. 11 West which point will be the End of this Surveyed Road Variation of Mag needle Set E

A S Rinner
Surveyor

No width given

VOL. 1

1858 Amount of Tax to be raised

State Tax	$ 140 — 10 mills
County "	195 — 22
Town "	808 — 45
a tax mill School tax	150 — 71
Road Tax	$ 108,316 1288 48

Petition

Dec 23 Filed in office at this Date a petition calling for a highway to be established Commenceing in the road about fifty or Sixty rods Easterly from the N.E. Corner of Section thirty three thence running to about Sixteen rods South of the N.E Corner of the S.E. quarter of the N.W. quarter of Section thirty four thence South to the South west Corner of S.W. quarter of South East quarter of Section thirty four thence Easterly to the Town line on the South Side of the Town and also to discontinue that part of the State Road where this petition makes the alteration

dated at Bridgeville this 13th day of Dec A.D. 1858

Certificate of Treasurer

Dec 20 filed in office at this date a certificate from County treasurer Sterling that Zebulon Michael Engler (Town treasurer) has deposited his official bond with Reid (County treasurer)

A.D. 1858 Petition VOL. 1

Dec 31 Filed in office a petition calling for an alteration in the State road running from Sparta to Richmond. Commencing in the Center of the State road on Mr Sherwins East line thence running a Southwest Course until it intersects the State road again

Petition.

" 31 Filed in office a petition calling for an alteration in the State road running from Sparta to Richmond. Commencing in the center of said State road about fifty or sixty rods Easterly from the N.E. corner of Sec (33) thirty three thence running about Eighteen Rods South of the N.E. corner of the S.E¼ of N.W¼ of Section (34) thirty four thence South one hundred Rods thence E. about Sixty rods thence South Easterly about Eighty rods thence East about thirty-of fifty rods thence in a Southerly direction as the most practicable ground to the town line

Petition

" 31 Filed in office a petition calling for an alteration in the State road running From Sparta to Richmond. Commencing in the State road on the East of Section twenty nine running a N. E. direction Eighty Rods thence Northerly about Sixty rods thence west about Sixty rods to intersect the State road again.

1859 Survey Bill Vol. 1

Jan. 14. Sauk County } State of Wisconsin
Town of Ridgeville }

At a meeting of the Supervisors of said town and County held on this 14th day Jan. 1859 for the purpose of altering a portion of the State Road leading from Sparta to Richmond it is ordered and determined by the said Supervisors that an alteration be made as follows Beginning in the centre of the State Road at the point of the intersection of this Road with the town line between town. 16. and 15 N. R. 2 W from here N. 20 deg E. 27 rods here setting a.p. of which a. b will be S. 20 deg. W. 1 rod, 15 links from here N. 83. deg. W. 35 rods 5 links here planting a Stake & d. a. b will be N. 3 deg. W. 21 links from here N. 42 deg 30 m. W. 35 rods 5 links here planting a Stake in of d. a. b will be from S. 24 deg E. 4 rods 23 links from here due West 87 rods 12 links intersecting the same State Road in the centre of it in which point of intersection planting a Stake of which a. b. is N. 85 deg E. 3 rods and 20 links from here on the said State Road by a bearing N. 47 deg W 32 rods 5 links here planting a Stake in of d. a. b. is N. 1 deg 30 E. 2. rods 5 links here leaving the State Road and running due West 104 rods 14 links here setting a. p. of which a. b is 5 rods 10 links N. 72 deg E. from here on the meridian line 108 rods here planting a Stake in of a. a. b. is N. 60 deg W 3 rods 17 links from here N. 39 deg W. 100 rods here planting a Stake in of which a. b. is N. 51 deg W. 12 rods from here N. 69 deg W 82 rods 20 links here

(Carried on) 28

(Brought up)

intersecting the State Road in the Center of it in a point of which a Stake will be found South 38 deg E. 2 rods distant. This is the point in which the alteration of the said State Road takes an end

Variation of the Magnet Needle 8 deg. East

Orlon Spooner
(Surveyor)

1859
Jan 14 Survey Bill

Oconto County
State of Wisconsin }
Town of Brazeville } At a meeting of the Supervisors of said town agreeable to previous notice and having Examined and deliberated upon the subject therein Embraced it is ordered and determined by the said Supervisors that a highway of 4 rods wide be laid out in said Town and have caused a Survey thereof to be made as follows. The center of the said highway is to commence at the 1/4 Stake between Sec three in Town 15 and Sec 34 in Town 16. N on the Town line R 11 W from here on the Meridian line North 115 rods 17 links to the point of termination of the said will be North 72 deg W 57 rods & links

Variation of Mag Needle 8 E

Date at Brazeville this 14th day of Jan AD 1859

O Spooner
(Surveyor)

NO WIDTH GIVEN
4 rods

AD 1859

Vol. 1

Survey Bill

Jan 15 Acting on act for Assessment

Monroe County } At a meeting of the
Town of Ridgeville } Supervisors of ~~the~~ said Town and County held on the 15th day of January 1859 for the purpose of Altering a portion of the State Road leading from Sparta to Richmond it is ordered and determined by the said board Supervisors that an alteration be made as follows Beginning at in the center of the State Road a point lays on the meridian line 10¼ rods 18 links South from the S. E corner of Section 20 from here N 90 deg W. 80 rods here setts a Stick of which a b is S ¼ deg W 9 rods 11 links from here N. 78 deg 30 m W 60 rods here putting a stick in of which a b. is N ¼ deg E. 1 rod 16 links from here S. 68 deg 30 m W 24 rods 13 links here putting a Stake in of a b is 1 rod 7 links S 65 deg E from here South 87 deg W 16 rods here setting a S of a b is 23 links N 70 deg W from here 18 rods 20 links South 74 degrees W to a bearing tree from here South 69 deg 30 m W 32 rods 4 links to a center Stake of the State road of which a b is 6 rods 15 links N. 54 deg 30 m E. and which is the End of the Alteration in witness Where of we have hereunto set our hands and at the town of Ridgeville this 15th day of January AD 1859 Variation of magnetic 9 deg E

Surveyor } A Spencer

(134.) Road-Petitions and Certif Vol. 1

Petition No. (1)

Board of Supervisors of the Town of Ridgeville and Adrian.

We the undersigned freeholders and inhabitants of the town of Ridgeville and Adrian do hereby petition the honorable the Board of Supervisors of said towns ~~town~~ to lay out a highway, connecting the above said towns. The new Road shall begin on the half mile stake between Sec 5 and 8, thence running N. about 70 or 80 rods, and from there on the right hand side of a ravine on the most practicable route N.W to the N.W. corner of Sec. 5. thence running W. on the town line between sec 5 of the town of Ridgeville and sec. 31 of the town of Adrian to connect with a road which has been laid out in the town of Adrian to connect with the La-Grass and Portage-Road.

Petitioners of the town of Ridgeville.
Michael Riegle
F. J. Pfaller
and 6 others

Petitioners of the town of Adrian.
David morgan
Thomas Morgan
and 4 others

Pet. No. 4

To the Honorable the Board of Supervisors of the town of Ridgeville.

The undersigned freeholders and inhabitants of the town of Ridgeville pray the Honorable the Board of Supervisors of said town to alter the highway now running from Ridgeville through the Northern part of said town in the following manner, to wit: The new Road shall run from the S. E. corner of the S. W. quarter of the S. W. ¼ of sect 5, in the town of Ridgeville on the Sec-line about 66 rods and from this point on a S. W. direction to the old highway.

F. J. Pfaller
John J. Flemming
and 7 others.

Petition number (2.)

We the undersigned freeholders of the Town of Ridgeville do make application to the supervisors of said town for the laying out and establishing a highway as follows, viz:— Beginning between 80 and a 100 rods east of the ¼ stick of Sec 3 and Sec 10 thence a N. E. direction to the ¼ stick of Sec 2 and 3, thence N, to the Ridgeville and Sparta road. — Dated at Ridgeville, this 6th day of April A.D. 1859.

Names.

George Avey,
Jacob Avey and others.

Petition N. (3)

We the undersigned freeholders of the Town of Ridgeville, do make application to the Supervisors of said Town for the altering a part of the State road that runs from Ridgeville to Sparta, as follows:. and to Lost This Petition was denied.

Pet. No 5

To the Supervisors of the Town of Ridgeville in the County of Monroe. S. W. Wisconsin:

The undersigned freeholders residing in said Town do hereby make application to you to lay out a highway as follows. Commencing at the highway that runs from the village of Ridgeville West Along the said Town from Hawley to one hundred rods west of corner stick of Sec 7, 11, 5, 8 and 9; thence North from 60 to 120 rods on the S ½ of S W ¼ of Sec 4; thence a N. W. direction across the S ½ of N ½ of S W ¼ and the S ½ of N W ¼ of Sec 4; thence on the most practicable road across the N ½ of Sec 5 to the town line. — Said road to be laid on the most practicable route

above described.

Names.

E. Howard, F. E. Arney, W. H. Miner, Charles Olcott and sundry others. Meeting held P. B. Sawyer on the 28th November A.D. 1859 at 10 o'clock.

Nov. 24. Norman Denny Clerk of the joined school-district No. 1 returned the school-tax to be raised for the year A.D. 1859 as follows. $88,18

District No. 1 is composed as follows. Sec. 1 and 2 Sec 11 and 12 and the North ½ of the NE and NW¼ of Sec. 13 and of Sec 14, the W½ containing 48 acres of the NW¼ of Sec 7 Range I East, the 48 acres are valued at $200.00.

Nov. 25. Road-petition No. 6 for laying out and establishing a highway as follows. viz Beginning on the NE corner of Sec 9, from thence South on the west line 160 rods, thence across the E. ½ of Sec 9 and the NW¼ of Sec 15 on the most practicable ground to intersect a road that runs by W. Chamberlain and W. Robinson.

Dated, Rutland 25th day of November 1859.

Recorded by Martin Howard and attested

Notice served.

December 19 Road-petition No. 7.

To the Honorable board of Supervisors of the Town of Ridgeville.

We the undersigned Residents and Freeholders of said Town would respectfully petition your honorable body to make an alteration in the state-Road leading from Sparta to Richmond as follows. Commencing on the center of said Road about ninety rods from the N.W. of the N.E. corner of Sect. 28, thence in a S.E. direction across the S. E ¼ of the S. E ¼ of Sec. 28 to intersect the above named Road.

Dated Ridgeville, December 18th 1859.

William McGary, Joseph Erne, Emanuel Metzger and others.

Road-petition No. 8

January 30. To the Honorable board of supervisors of the town of Ridgeville Monroe County Wisconsin: We the undersigned Residents and freeholders of said Town do hereby petition to lay out and establish a Highway as follows.

Commencing at the corners post between Sect. 18 and 19 on the West line of said Town, thence on the Sec. line between Section 18 and 19 running East about 160 rods; thence on a N.E. direction about 160 rods across the S.E. ¼ of section 18, thence on a N.E. direction to intersect the Highway that runs by Peter Vanatten's and Gades on the E. W. ¼ of Sec. 17; thence on the said Highway as far as

practicable; thence on the most practicable route to intersect the Highway running between T. Smith and L. Scott at the N.E corner of the NW¼ of NE¼ of Sec 18 Town 16 North R. 2 West. Town of Ridgeville, 30 day of January A.D. 1860.

John Hornung
Michael Zwegler and
Six others.

Meeting on this road on the 18th day February adjourned to the 25th day of February 1860.

6th March.

Petition No 9.

The undersigned freeholders residing in said Town of Ridgeville, do hereby make application for to lay out a highway as follows: Commencing in the Robertson's Road at the ¼ stake between Sec 15 and Sec 10; from here due East between the S.E¼ of Sec 10 and the NE¼ of Sec 15 for a distance of about 15 rods; thence on a SE direction across the NE¼ of the NE¼ of Sec 15 and the NW¼ of Sec 14 to enter and the Sec line between Sec 14 and Sec 11; thence on said Sec line East to the next corner between Sec 14 and 13; thence E. on said line for a distance of about 10 rods; from here through S. Thamdons premises N. on the true meridian line 80 rods; from here due East for a distance of about 40 rods; from here on a true meridian line N. for a distance of 80 rods; here it goes out of S. Thamdons premises; from here due East to the ¼ stake between Sec 11 and 12 on the quarter line between S. Thamdon and T. Linsley, from this ¼ stake between the NE¼ of Sec 11 and the NW¼ of Sec 12 to the Sec corner between said Sec 11 and Sec 12, point of termination.

Dated, Ridgeville the 6th day of March 1860,
George Dell, M. Wilson, M. Burt, Sylvanus
Tiffany, H. Veith, Carl Leinbarger and

Vol. II

Divisions of Roads on the 139
Town - Lines.

Agreement between the town of Ridgeville and the town of Leon.
It is this day agreed between the Supervisors of the Town of Ridgeville and Leon, that the have devided the Road on the line between said Towns as follows. The town of Leon shall have all that part of said Road on said town line South of the South East corner of the N E ¼ of N E ¼ of Sec 24 Town 16 N. Range 3 W and shall keep the same in repair and pay all damages on said Road.
Dated Ridgeville Nov 26th 1859

Supervisors of the town of Leon.
Peter W. Lowry
N. Cannon

Ridgeville.
Jacob Raat
S. G. Danker.

Agreement between the town of Ridgeville and the town of Weldon:
It is this day agreed between the Supervisors of the town of Ridgeville and the town of Weldon, that the town of Ridgeville is to have and hold all that Section of the Road laid on the line between said town South of the center of said Road, the said distance of said Road on the Town-line being one mile and the town of Ridgeville pay all damages and keep said half of said road in Repair.
Dated Ridgeville Nov. 21, 1859.

W. Tolly Chairman of the Town of Weldon.
Jacob Rood Chairman of the Town Ridgeville

140.

Road- petition No 9.

March 7th To the Supervisors of the town of Ridgeville, in the County of Monroe, Wisconsin: " The undersigned freeholders residing in said town of Ridgeville do hereby make application to you, to lay out a highway as follows: Commencing in the Robertson's road at the ¼ post between the Sec 15 and Sec 10, from here due East between the S ½ of Sec 10 and the N ½ of Sec 15 for a distance of about 150 rods; thence in a S E direction across the N ½ of N ½ of Sec 15 to intersect the Sec. line, thence across the N W ¼ of N W ¼ of Sec 14 in a N E direction to intersect the Sec. line between Sec 14 and 11; thence on said line East to the ¼ stake between Sec 14 and 11; thence E. on said line for a distance of about 10 rods; from here through S. Thomas's Premises North on the true meridian line 80 rods; from here due E for a distance of about 40 or 60 rods; from here on a true meridian line North for a distance of 80 rods; here it goes out of S. Thomas's Premises; from here due East to the ¼ stake between Sec 11 and 12 on the partition-line between S. Thomas and P. Lincoln; from this ¼ stake between the N E ¼ of Sec 11 and the W ½ of N W ¼ of Sec 12 to the Sec. corner between the said Sec 11 and 12. which corner is in the center of the Ridgeville and Sparta-road.

Dated Ridgeville, the 6th day of March A.D. 1866.

Names of Signers.

George S. Bell, William Wetherby, William S. West, Sylvanus Tiffany, Henry Vieth, Carl Thierbaugher, P. Steiner, P. H. Crosset, W. Crowley.

(146) Road — Surveys, Damages

VOL. 1

Monroe County
Town of Ridgeville } S. S.

At a meeting of the supervisors of said Town of Ridgeville, on the 28th day of April A.D. 1859, at the supervisors having met agreeable to Notice, and examined and deliberated on the subject matter of the Order, it is hereby ordered and determined by them that an alteration be made and is hereby made in the Town road, running from Ridgeville through the northern part of said Town as follows.

"Commencing 80 rods due West from the ¼ stake between Sec 5 and Sec 8, from here due West on the Section line 63 rods, here sets a post at which bearing is S. 51 dg E 49 links, from here S. 20 dg W 6 rods intersecting the old road, this is the end of the Alteration, the old road is thereafter taken up from the point of commencement of the alteration to point at ending it.

Dated this 28th day of April A.D. 1859. In witness whereof we have hereunto set our hand

Jacob Raatt
J. S. Dawkes
Joseph Clute } Supervisors

Damages are awarded on the N W ¼ of N W ¼ of Sec 8 $9,25
Released to the Town as claim to damages on the S W ¼ of S W ¼ of Sec 5,

No WIDTH GIVEN

VOL. 1

and Agreement is an (147)

es.

Monroe County
Town of Rochester } S. S.

At a meeting of the supervisors of said Town, on the 28th day of April 1859, all the said supervisors having met agreeable to Notice, and examined and determined on the subject matter of the order it is hereby ordered and determined by them, that a Highway be laid out in said Town of the width of four rods, commencing at the N.W. corner of Sec 5 Town 16 N. R. 11 W; from here South by a bearing of S 0 dg 30 m E 80 rods; here W'ly a part of a bearing is 2 rods 11 lnks S. 88 dg 30 m E; from here S. 69 dg 30 m E 10 rod 23 lnks; here W'ly a part the bearing of which is N 89 dg E 1 rod 23 lnks; from here S. 89 dg 30 m E 45 rods 4 lnks; here W'ly a part of a bearing S. 12 dg W 1 rod 21 lnks; from here S. 51 dg E 28 rods 9 lnks; here W'ly a part of a bearing N. 17 dg 30 m E 91 lnks; from here S. 37 dg 30 m E 26 rods 23 lnks; here W'ly a part of a bearing S. 47 dg W 20 27 lnks; from here S. 30 dg 30 m E 64 rods 7 lnks; here W'ly a part of a bearing 45 lnks S. 44 dg E; from here S. 26 dg E 16 rods 4 lnks; here W'ly a part of a bearing 96 lnks N. 11 dg E; from here S. 16 dg E 24 rods here W'ly a part the bearing of which is due W. 58 lnks; from here S. E by a bearing of 6 dg 30 m 80 rods to the place between Sec 4 and Sec 5

In witness whereof we have set our hands this 28th day of April 1859

Isaac Root
S. I. Dawson
Joseph Clark

39

(148) Road — Surveys, Appraisal on

According to agreement damages to John Ingles $5.00
Assessed on the NW¼ of NW¼ of Sec 5 . . . . . 0.25
on the S E¼ of NW¼ of Sec 5 = 0.25
" " S E¼ of SW¼ of Sec 5 = 0.25
Released to the town as claims to damages.
on the N E¼ of S W¼ and on the N W¼ of S E¼ of Sec 5.

Monroe County
Town of Rochester } S. S.

At a meeting of the supervisors at said town on the 29th day of April 1859 at the said supervisors having met, agreeable to Notice and examined and deliberated on the subject matter of these orders it is hereby ordered and determined by them, that a highway be laid out in said Town of the Width of four rods, commencing at the Sec. line between Sec 3 and Sec 10, from the (10) rods East from the ¼ stone, thence by a post at a bearing N. 42 deg W 30 links, thence N. 15 deg E to the ¼ stone between Sec 3 and Sec 2, for a length of 175 rods, from here on the meridian line N. to the centre of the State Road 28 rods and 4 links.

The minutes where of, are here