

92

U.S. PUBLIC LAND CORNER MAINTENANCE

Corner ID : S1/4 Sec.19, T17N-R1E

41701190020

DATE	CREW	MONUMENT TYPE -----
October 20, 2010	Zachariah P.Dechant Gary L. Dechant	Set TCP county monument in place of 3/4" iron bar at fence corner. Set TCP in concrete.

References:


	<u>Bearing</u>	<u>Distance</u>
1) Set 1/2"x24" iron bar , down 4"	N12E	22.14'
2) Set 1/2"x18" iron bar, down 4"	S78E	12.09'
3) Set nail in NE side of 12" Maple	S45W	22.61'
4) Set nail in NW side of 8" Maple	N46W	21.92'

NOTE: Did not have tie sheet in 2010 as I had misplaced the field notes.
Decided to show for history and closer reference markers than others.



U. S. PUBLIC LAND SURVEY MONUMENT RECORD

**SECTION 19, T17N, R1E, TOWN OF OAKDALE
MONROE COUNTY, WISCONSIN**



LOCATION OF LANDMARK

Witnesses: Laurence E Johns III
Larry Handschy

Date: 7 February 2013

<i>MONROE COUNTY COORDINATE SYSTEM</i>	
<i>Northing</i>	<i>373864.148</i>
<i>Easting</i>	<i>728852.994</i>
<i>Datum</i>	<i>NAD 1983 (1991)</i>
<i>Elevation</i>	
<i>Datum</i>	
<i>TYPE OF LANDMARK:</i>	
<i>Existing Harrison Monument</i>	
<i>BEARINGS ARE REFERENCED TO:</i>	
<i>Monroe County Coordinates</i>	

Describe any record evidence, monument evidence, testimonial evidence or any other material evidence you considered and whether the monument was found or restored through acceptance of an obliterated evidence location.

No bearing trees of record were located.

I found a Harrison Monument 1' East of a 3-way fence corner at this location. This Harrison is in the same location as the 3/4" iron rod I used in 2010. Apparently Dechant came in and set this Harrison before I could and we thought we had.

This corner location matches occupation and matches government distances East and West very well. I accepted this location as the best available evidence of the original government corner.

Describe or show any material discrepancy between the location of the restored corner and that of the corner previously restored or re-established.

George Cole established this corner in December 1851.

Dwayne Hefner was at this corner, in January 2008, during a survey in Section 19. He shows that he set a Harrison Monument.

I was at this corner, in September 2010, during a survey in Section 19. I found a 3/4" iron rod, apparently set by Hefner. I show on my map that we set a Harrison Monument.


Gary Dechant was at this corner, in October 2010, during a survey in Section 19. He shows that he replaced a 3/4" iron rod with a Harrison Monument.

**See Reverse Side
For Maintenance**

92 #


U. S. PUBLIC LAND SURVEY MONUMENT RECORD
'Addendum for Corner Photographs'

SECTION 19, T17N, R1E, TOWN OF OAKDALE
MONROE COUNTY, WISCONSIN



LOCATION OF LANDMARK

Date
18 February 2013



Taken from the Northwest

**See Reverse Side
For Maintenance**